Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: SSSPTA1626GMS

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America

NEWS 2 "Ask CAS" for self-help around the clock

NEWS 3 JUL 20 Powerful new interactive analysis and visualization software, STN AnaVist, now available

NEWS 4 AUG 11 STN AnaVist workshops to be held in North America

NEWS 5 AUG 30 CA/CAplus -Increased access to 19th century research documents

NEWS 6 AUG 30 CASREACT - Enhanced with displayable reaction conditions

NEWS 7 SEP 09 ACD predicted properties enhanced in REGISTRY/ZREGISTRY

NEWS 8 SEP 22 MATHDI to be removed from STN

NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS INTER General Internet Information

NEWS LOGIN Welcome Banner and News Items

NEWS PHONE Direct Dial and Telecommunication Network Access to STN

NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

*FEDRIP - Federal Research in Progress Database

* The files listed above are temporarily unavailable.

FILE 'HOME' ENTERED AT 14:44:52 ON 25 SEP 2005

=> FIL HCAPLUS

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST 0.21 0.21

09/25/2005

10655995.trn

FILE 'HCAPLUS' ENTERED AT 14:45:02 ON 25 SEP 2005
USE IS SUBJECT.TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 25 Sep 2005 VOL 143 ISS 14 FILE LAST UPDATED: 23 Sep 2005 (20050923/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s dialkyl.carbonate

40690 DIALKYL

218 DIALKYLS

40820 DIALKYL

(DIALKYL OR DIALKYLS)

268031 CARBONATE

64521 CARBONATES

299695 CARBONATE

L1

(CARBONATE OR CARBONATES)
834 DIALKYL CARBONATE
(DIALKYL(W) CARBONATE)

=> s l1 and process

2149075 PROCESS

1438162 PROCESSES

3197607 PROCESS

(PROCESS OR PROCESSES)

L2 212 L1 AND PROCESS

=> s 12 and copper catalyst

857997 COPPER

428 COPPERS

858061 COPPER

(COPPER OR COPPERS)

700526 CATALYST

703993 CATALYSTS

898347 CATALYST

(CATALYST OR CATALYSTS)

8577 COPPER CATALYST

(COPPER (W) CATALYST)

2 L2 AND COPPER CATALYST

=> s 12 and catalyst

700526 CATALYST

703993 CATALYSTS

```
09/25/2005 10655995.trn
        898347 CATALYST
                 (CATALYST OR CATALYSTS)
           145 L2 AND CATALYST
=> s 14 and ionic halogen
        256067 IONIC
           461 IONICS
        256308 IONIC
                  (IONIC OR IONICS)
        104502 HALOGEN
         21211 HALOGENS
        115225 HALOGEN
                  (HALOGEN OR HALOGENS)
            30 IONIC HALOGEN
                 (IONIC(W) HALOGEN)
             1 L4 AND IONIC HALOGEN
=> s 14 and copper
        857997 COPPER
           428 COPPERS
        858061 COPPER
                 (COPPER OR COPPERS)
L6
            24 L4 AND COPPER
=> s 16 and halogen
        104502 HALOGEN
         21211 HALOGENS
        115225 HALOGEN
                 (HALOGEN OR HALOGENS)
L7
             2 L6 AND HALOGEN
=> d his
     (FILE 'HOME' ENTERED AT 14:44:52 ON 25 SEP 2005)
     FILE 'HCAPLUS' ENTERED AT 14:45:02 ON 25 SEP 2005
L1
            834 S DIALKYL CARBONATE
L2
            212 S L1 AND PROCESS
L3
             2 S L2 AND COPPER CATALYST
            145 S L2 AND CATALYST
L4
L5
             1 S L4 AND IONIC HALOGEN
L6
             24 S L4 AND COPPER
L7
              2 S L6 AND HALOGEN
=> d l3 ibib abs hitstr tot
    ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER:
                         2005:220207 HCAPLUS
DOCUMENT NUMBER:
                         142:280559
                         Use of a jonic halide free copper
TITLE:
                         catalyst for the production of dialkyl
                         carbonates
INVENTOR(S):
                         Stibrany, Robert T.; Mehnert, Christian P.; Matturro,
                         Michae√G.
PATENT ASSIGNEE(S):
SOURCE:
                         U.S. Pat. Appl. Publ., 9 pp.
                         CODEN: USXXCO
DOCUMENT TYPE:
                         Patent
LANGUAGE:
                         English
```

14:49

10655995.trn

Page 3

FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION:

PATENT NO.	KIND DATE	APPLICATION NO.	DATE
		·	
US 2005054868	A1 2005031	US 2003-655995	20030905
WO 2005026097	A1 2005032	WO 2004-US25363	20040804
W: AE, AG, AL,	AM, AT, AU, AZ	BA, BB, BG, BR, BW, BY,	, BZ, CA, CH,
· CN, CO, CR,	CU, CZ, DE, DK	, DM, DZ, EC, EE, EG, ES,	, FI, GB, GD,
GE, GH, GM,	HR, HU, ID, IL	IN, IS, JP, KE, KG, KP,	, KR, KZ, LC,
LK, LR, LS,	LT, LU, LV, MA	MD, MG, MK, MN, MW, MX,	, MZ, NA, NI,
NO, NZ, OM,	PG, PH, PL, PT	RO, RU, SC, SD, SE, SG,	, SK, SL, SY,
		UG, US, UZ, VC, VN, YU,	
RW: BW, GH, GM,	KE, LS, MW, MZ	NA, SD, SL, SZ, TZ, UG,	ZM, ZW, AM,
AZ, BY, KG,	KZ, MD, RU, TJ	TM, AT, BE, BG, CH, CY,	CZ, DE, DK,
EE, ES, FI,	FR, GB, GR, HU	IE, IT, LU, MC, NL, PL,	PT, RO, SE,
SI, SK, TR,	BF, BJ, CF, CG	CI, CM, GA, GN, GQ, GW,	, ML, MR, NE,
SN, TD, TG			

PRIORITY APPLN. INFO.:

US 2003-655995

A 20030905

OTHER SOURCE(S):

MARPAT 142:280559

The invention relates to a non-corrosive process for the preparation of dialkyl carbonate by reacting carbon monoxide, alkanol and an oxygen-containing gas in the presence of a ionic halogen free copper catalyst. Thus, di-Me carbonate was prepared by reacting carbon monoxide, methanol and oxygen in the presence of [1,1'-bis(1-butylbenzimidazol-2-yl)pentane] copper (II) di(trifluoromethanesulfonate).

ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1991:142692 HCAPLUS

DOCUMENT NUMBER:

114:142692

TITLE:

Process for preparation of dialkyl

carbonates from alcs., carbon monoxide and

oxygen in the presence of cyclic ureas as cosolvents

INVENTOR(S):

and copper catalysts
Joerg, Klaus, Kummer, Rudolf; Mueller, Franz Josef

PATENT ASSIGNEE(S):

BASF A.-G., Germany Ger. Offen., 4 pp.

SOURCE:

CODEN: GWXXBX

DOCUMENT TYPE:

Patent

LANGUAGE:

German

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3926710	A1	19910214	DE 1989-3926710	19890812
EP 413217	A2	19910220	EP 1990-114912	19900803
EP 413217	A3 -	19920212		
EP 413217	B1	19940608	•	
R: BE, CH, DE,	ES, FR	, GB, IT, LI	, NL	
ES 2054176 .	Т3	19940801	ES 1990-114912	19900803
US 515 <u>1541</u>	A	19920929	US 1990-562708	19900806
JP 03109359	A2	19910509	JP 1990-211748	19900813
PRIORITY APPLN. INFO.:			DE 1989-3926710 A	19890812
000000	~- ~		_	

OTHER SOURCE(S): CASREACT 114:142692; MARPAT 114:142692

A process for the preparation of dialkyl carbonates ROC(O)OR (R = C1-10-alkyl) comprises the reaction of alcs. With CO and oxygen in the presence of a Cu catalyst and a cyclic urea as cosolvent at 09/25/2005

10655995.trn

elevated temperature and pressure. A mixture of MeOH 105, CuCl 10.5, and dimethylethylene urea 40 g was heated in a corrosion-resistant autoclave to 90° for 15 min 8 bar oxygen; oxygen was replaced and the mixture was heated for 30 min at 35 bar CO to give 76% MeOC(0)OMe.

=> d 15 ibib abs hitstr tot

L5 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2005:220207 HCAPLUS

DOCUMENT NUMBER:

142:280559

carbonates

TITLE:

Use of a ionic halide free copper catalyst

for the production of dialkyl

INVENTOR(S):

Stibrany, Robert T.; Mehnert, Christian P.; Matturro,

Michael G

USA

PATENT ASSIGNEE(S):

SOURCE:

U.S. Pat. Appl. Publ., 9 pp.

CODEN: USXXCO

DOCUMENT TYPE:

LANGUAGE:

Patent English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND DATE	APPLICATION NO.	DATE
US 2005054868	A1 20050310	US 2003-655995	20030905
WO 2005026097	A1 20050324	WO 2004-US25363	20040804
W: AE, AG, AL,	AM, AT, AU, AZ,	BA, BB, BG, BR, BW, BY,	BZ, CA, CH,
CN, CO, CR,	CU, CZ, DE, DK,	DM, DZ, EC, EE, EG, ES,	FI, GB, GD,
GE, GH, GM,	HR, HU, ID, IL,	IN, IS, JP, KE, KG, KP,	KR, KZ, LC,
LK, LR, LS,	LT, LU, LV, MA,	MD, MG, MK, MN, MW, MX,	MZ, NA, NI,
NO, NZ, OM,	PG, PH, PL, PT,	RO, RU, SC, SD, SE, SG,	SK, SL, SY,
TJ, TM, TN,	TR, TT, TZ, UA,	UG, US, UZ, VC, VN, YU,	ZA, ZM, ZW
RW: BW, GH, GM,	KE, LS, MW, MZ,	NA, SD, SL, SZ, TZ, UG,	ZM, ZW, AM,
AZ, BY, KG,	KZ, MD, RU, TJ,	TM, AT, BE, BG, CH, CY,	CZ, DE, DK,
EE, ES, FI,	FR, GB, GR, HU,	IE, IT, LU, MC, NL, PL,	PT, RO, SE,
SI, SK, TR,	BF, BJ, CF, CG,	CI, CM, GA, GN, GQ, GW,	ML, MR, NE,
SN, TD, TG	•	•	
DIENT REDIX TARES			

PRIORITY APPLN. INFO.:

US 2003-655995

A 20030905

OTHER SOURCE(S):

MARPAT 142:280559

AB The invention relates to a non-corrosive process for the preparation of dialkyl carbonate by reacting carbon monoxide, alkanol and an oxygen-containing gas in the presence of a ionic halogen free copper catalyst. Thus, di-Me carbonate was prepared by reacting carbon monoxide, methanol and oxygen in the presence of [1,1'-bis(1-butylbenzimidazol-2-yl)pentane] copper (II) di(trifluoromethanesulfonate).

=> d l6 ibib abs hitstr tot

L6 ANSWER 1 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2005:349044 HCAPLUS

DOCUMENT NUMBER:

142:394138

TITLE:

Water-resistant carbonylation catalyst

system for the production of diaryl carbonates via the

direct carbonylation of phenolic compounds

INVENTOR(S):

Soloveichik, Grigorii Lev; Chuck, Timothy Leigh;

10655995.trn

Page 5

14:49

Shalyaev, Kirill Vladimirovich; Pressman, Eric James;

Bonitatebus, Peter John

PATENT ASSIGNEE(S): General Electric Company, USA SOURCE: U.S. Pat. Appl. Publ., 9 pp.

CODEN: USXXCO

DOCUMENT TYPE:

LANGUAGE:

Patent English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PAT	ENT 1	NO.			KIN	D 1	DATE		j	APPL	ICAT	ION :	NO.		D	ATE	
						_									-		-
US .	2005	0856	56		A1	:	و2005	<u> </u>	1	US 2	003-	6874	11		20	0031	015
WO :	2005	0400	89		A2	-	2005	0506	1	WO 2	004-1	US30	610		20	0040	917
	W:	ΑE,	AG,	AL,	AM,	AT,	-AU,	ΑZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,
		CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,
		GE,	GH,	GM,	HR,	HU,	ID,	ΙL,	IN,	IS,	JP,	KE,	KG,	ΚP,	KR,	KZ,	LC,
		LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NA,	NI,
		NO,	NZ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SY,
		TJ,	TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US,	UΖ,	VC,	VN,	YU,	ZA,	ZM,	ZW
	RW:	BW,	GH,	GM,	KE,	LS,	MW,	MZ,	NA,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,
		ΑZ,	BY,	KG,	KZ,	MD,	RU,	ТJ,	TM,	AT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,
		ΕE,	ES,	FI,	FR,	GB,	GR,	HU,	ΙE,	IT,	LU,	MC,	NL,	PL,	PT,	RO,	SE,
		SI,	SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,	NE,
			TD,								•	•			•	•	•
PRIORITY	APP	LN.	INFO	. :					1	US 2	003-	6874	11	i	A 20	0031	015

OTHER SOURCE(S): CASREACT 142:394138

A method of increasing the amount of diaryl carbonates (e.g., di-Ph carbonate) produced per amount of catalyst consumed in a phenolic compound (e.g., phenol) carbonylation process is described. Phenolic compound carbonylation produces water as a reaction byproduct which reduces the turnover number (TON) of the catalyst. A mixture of a phenolic precursor, a base-containing catalyst and cocatalyst components and at least one chemical additive comprising a halide or hydroxide of alkali metal or alkaline earth metal when carbonylated together under specific conditions increases the TON and water resistivity of a palladium catalyst. The metal halide likely makes the catalyst less susceptible to degradation by water hence increasing the reaction yield per weight of catalyst consumed.

ANSWER 2 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2005:220207 HCAPLUS

DOCUMENT NUMBER:

142:280559

TITLE:

Use of a ionic halide free copper

catalyst for the product ion of dialkyl carbonates

INVENTOR(S):

Stibrany, Robert T.; Mehnert, Christian P.; Matturro,

Michael & G

PATENT ASSIGNEE(S):

USA Pat. Appl. Publ., 9 pp.

SOURCE:

DOCUMENT TYPE:

CODEN: USXXCO Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2005054868	A1	20050310	US 2003-655995	20030905

10655995.trn

Page 6

14:49

```
WO 2005026097
                                          20050324
                                                          WO 2004-US25363
                                  A1
                AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
                 CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
                 GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
                 LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
           LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MA, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, CT, CM, CD, CM, MI, MB, NE
                 SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
                 SN, TD, TG
                                                          US 2003-655995
PRIORITY APPLN. INFO.:
                                                                                     A 20030905
OTHER SOURCE(S):
                                 MARPAT 142:280559
      The invention relates to a non-corrosive process for the preparation
      of dialkyl carbonate by reacting carbon monoxide,
      alkanol and an oxygen-containing gas in the presence of a ionic halogen free
      copper catalyst. Thus, di-Me carbonate was prepared by
      reacting carbon monoxide, methanol and oxygen in the presence of
      [1,1'-bis(1-butylbenzimidazol-2-yl)pentane] copper (II)
      di(trifluoromethanesulfonate).
      ANSWER 3 OF 24 · HCAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER:
                                 2003:1007922 HCAPLUS
DOCUMENT NUMBER:
                                 140:43775
TITLE:
                                 Method and apparatus for preparing a dialkyl
                                 carbonate
                                 Van de Broek, Jan; Bouwens, Stephan; Campman, Maarten;
INVENTOR(S):
                                 Favre, Daniel; Van Gool, Cornelis Adrianus Maria;
                                 Kalle, Leon; Moloney, George P.
PATENT ASSIGNEE(S):
                                 General Electric Company, USA
SOURCE:
                                 U.S. Pat. Appl. Publ., 11 pp.
                                 CODEN: USXXCO
DOCUMENT TYPE:
                                 Patent
LANGUAGE:
                                 English
FAMILY ACC. NUM. COUNT:
PATENT INFORMATION:
      PATENT NO.
                                 KIND
                                          DATE
                                                          APPLICATION NO.
                                                                                         DATE
                                 ----
                                          _____
                                                          -----
                                          20<u>03</u>1225
                                                          US 2003-250067
      US 2003236428
                                  Α1
                                                                                       20030602
                                                          WO 2003-US19359
      WO 2004000780
                                          20031231
                                  Α1
                                                                                          20030618
                AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW
           RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
                 KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,
                 BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
      EP 1562889
                                          20050817
                                                         EP 2003-761136
                                  A1
                                                                                          20030618
                AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
                 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
```

PRIORITY APPLN. INFO.:

US 2002-391389P

US 2002-401916P

US 2003-250067

WO 2003-US19359

P 20020625

P 20020808

A 20030602 W 20030618

OTHER SOURCE(S): CASREACT 140:43775

A method of preparing a dialkyl carbonate (e.g., di-Me carbonate) includes reacting an alkanol (e.g., methanol), oxygen, carbon monoxide, and a catalyst to form a mixture that includes a dialkyl carbonate and an alkyl chloroformate (e.g., Me chloroformate). The mixture is separated into a liquid fraction and a gaseous fraction, and the alkyl chloroformate is removed from the gaseous fraction. Also described is an apparatus for carrying out the method. method is particularly useful for preventing corrosion in a cold-wash unit that removes further organic impurities from the gaseous fraction; process flow diagrams are presented.

ANSWER 4 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2003:633326 HCAPLUS

DOCUMENT NUMBER:

139:166196

TITLE:

Method and apparatus for preparing a dialkyl

carbonate and a method for removal of

corrosive alkyl chloroformates from the apparatus Boden, Eugene Pauling; Kailasam, Ganesh; Lewis, Larry

Neil; Nisoli, Alberto; Ofori, John Yaw; Gonzalez,

Angel Sanchez; Fernandez, Ignacio Vic

PATENT ASSIGNEE(S): SOURCE:

U.S. Pat. Appl. Publ., 21 pp., Cont.-in-part of U.S.

Pat. Appl. 2003 60,650.

CODEN: USXXCO

DOCUMENT TYPE:

INVENTOR(S):

Patent English

LANGUAGE:

AR

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003153782	A1	20030814	US 2002-227111	20020823
US 2003060650	A1	20030327	US 2001-682286	20010814
TW 584630	В	20040421	TW 2002-91117318	20020801
US 2005033078	A1	20050210	US 2003-740578	20031222
US 2005033079	A1	20050210	US 2003-740801	20031222
US 2005019226	A1	20050127	US 2004-917222	20040812
PRIORITY APPLN. INFO.:			US 2001-682286	A2 20010814
			US 2002-227111	B1 20020823

Unexpected corrosion of downstream sections of a dialkyl carbonate manufacturing apparatus has been traced to alkyl chloroformate impurities, which slowly decompose to yield hydrochloric acid. A process and apparatus for dialkyl carbonate synthesis reduce corrosion by phys. removing or chemical decomposing the alkyl chloroformate impurities within the corrosion-resistant upstream sections of the apparatus The alkyl chloroformate may be decomposed by passing it through

a passageway at 30-130° for 0.5-10 h. The passageway may include one or more holding vessels or a tubular section that promotes plug flow.

ANSWER 5 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2003:222358 HCAPLUS

DOCUMENT NUMBER: 138:238546

TITLE: Production of alkyl chloroformate-free dialkyl

carbonates used in preparation of

polycarbonates

Boden, Eugene Pauling; Fernandez, Ignacio Vic-INVENTOR(S):

PATENT ASSIGNEE(S): General Electric Company, USA

10655995.trn 09/25/2005

SOURCE:

U.S. Pat. Appl. Publ., 21 pp., Cont.-in-part of U.S.

Ser. No. 682,285.

CODEN: USXXCO

DOCUMENT TYPE:

Patent English

LANGUAGE:

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

	PA	rent	NO.			KIN	D	DATE			APPL	ICAT	ION	NO.		D	ATE		
		2003 6784		· •		A1 B2			0320 0831		US 2	001-	6822	84		2	0010	814	
	US	2003	0606	50		A1		2003	0327		US 2	001-	6822	86		2	0010	814	
	`	2003				A1			0515										
	WO	2003	0162						0227										
									AZ,										
			co,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC.	EE.	ES.	FI.	GB.	GD.	GE.	GH.	
									IS,										
									MG,										
									SG,										
			UA,	UG,	UZ,	VN,	YU,	ZA,	ZM,	ZW.	AM.	AZ.	BY.	KG.	KZ.	MD.	RU.	TJ.	тм
		RW:	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL.	SZ.	TZ.	UG.	ZM.	ZW.	AT.	BE.	BG.	
									ES,										
									CF,										
				SN,			•	•	•	•	,	,	,	,	- 2,	•,	,	,	
	ΕP	1419						2004	0519		EP 2	002-	7569	47		20	0020	801	
									FR,										
									MK,								,	,	
	JP	2005	5003	78	•	Т2			0106								0020	301	
	US	2005	0330	80		A1		2005	0210		US 2	003-	7408	54		20			
PRIO																A2 2			
													68228			A2 20			
																A 20			
																W 2			
λĐ	Dage	4		~ F _												-	– •		

Production of a dialkyl carbonate comprises reacting an AR alc., oxygen, carbon monoxide, and a catalyst to form a mixture comprising a dialkyl carbonate, an alkyl chloroformate, hydrochloric acid, water, carbon dioxide, and carbon monoxide, and removing alkyl chloroformate from the mixture Alkyl chloroformate impurities are shown to slowly decompose to yield hydrochloric acid and cause corrosion of downstream sections of dialkyl carbonate manufacturing equipment. The invention method reduces corrosion by phys. removing or chemical decomposing the alkyl chloroformate impurities within the corrosion-resistant upstream sections of the process line. The alkyl chloroformate-free dialkyl carbonates produced by the method are intermediates in manufacturing diaryl carbonates and polycarbonates.

REFERENCE COUNT:

THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS 18 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 6 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2003:154385 HCAPLUS

DOCUMENT NUMBER:

138:189792

TITLE:

Method for the manufacture of dialkyl

carbonates, their use in the manufacture of

polycarbonates and corrosion prevention by removal of

alkyl chloroformate and its byproducts

INVENTOR(S):

Boden, Eugene Pauling; Vic Fernandez, Ignacio

PATENT ASSIGNEE(S): General Electric Company, USA

SOURCE: PCT Int. Appl., 43 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 5

PATENT INFORMATION:

	PA	rent	NO.			KIN	D	DATE		Ĭ						D.	ATE		
	WO 2003016258				A1 20030227			1	WO 2002-US24731					20020801					
		W:	ΑE,	AG,	AL,	AM,	ΑT,	AU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	ΒZ,	CA,	CH,	CN,	•
			CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	ES,	FI,	GB,	GD,	GE,	GH,	
			GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	ΚP,	KR,	KZ,	LC,	LK,	LR,	
			LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	ΜZ,	NO,	ΝZ,	OM,	PH,	
			ΡL,	PT,	RO,	RU,	SD,	SE,	SG,	SI,	SK,	SL,	ТJ,	TM,	TN,	TR,	TT,	TZ,	
			UA,	UG,	UZ,	VN,	YU,	ZA,	ZM,	ZW,	AM,	ΑZ,	BY,	KG,	ΚZ,	MD,	RU,	TJ,	TM
		RW:	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	ΑT,	BE,	BG,	
			CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FI,	FR,	GB,	GR,	ΙE,	ΙT,	LU,	MC,	NL,	
			PT,	SE,	SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,	
			ΝE,	SN,	TD,	TG	•												
		2003									US 2	001-	6822	84		2	0010	814	
		6784																	
	EP	1419																	
		R:												LU,			MC,	PT,	
														CZ,					
		2005																	
PRIC	RIT	Y APP	LN.	INFO	.:					Ì	US 2	001-	6822	84	1	A 2	0010	814	
										Ţ	US 2	001-	6822	85	1	A2 2	0010	814	
										1	US 2	001-	6822	86	1	A2 2	0010	814	
7. D	T T													731			0020	801	

AB Unexpected corrosion of the downstream section of a dialkyl carbonate (e.g., di-Me carbonate) manufacturing apparatus has been traced to alkyl chloroformate impurities, which slowly decompose to yield hydrochloric acid. A process and apparatus are presented for dialkyl carbonate synthesis which reduces apparatus corrosion by phys. removing or chemical decomposing the alkyl chloroformate (e.g., Me chloroformate) impurities within the corrosion-resistant upstream sections of the apparatus REFERENCE COUNT:

4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 7 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2003:154384 HCAPLUS

DOCUMENT NUMBER: 138:189791

TITLE: Method and apparatus for preparing a dialkyl

carbonate with reduction in the corrosion

caused by the formation of alkyl chloroformate and its

byproducts

INVENTOR(S): Boden, Eugene Pauling; Kailasam, Ganesh; Lewis, Larry

Neil; Nisoli, Alberto; Ofori, John Yaw; Sanchez

Gonzalez, Angel; Vic Fernandez, Ignacio

PATENT ASSIGNEE(S): General Electric Company, USA

SOURCE: PCT Int. Appl., 42 pp.

CONCE.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 5

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE

10655995.trn

Page 10

```
-----
                         ----
                                             ------
     WO 2003016257
                          A1 20030227 WO 2002-US24364 20020730
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
              CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
             GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
             LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH,
         PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,
             NE, SN, TD, TG
     US 2003060650
                                            US 2001-682286
                          A1
                                  20030327
                                                                       20010814
     EP 1419131
                          A1
                                 20040519
                                             EP 2002-756863
                                                                       20020730
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK
     JP 2005520784 T2
                                 20050714 JP 2003-521186
     TW 584630
                           В
                                  20040421
                                              TW 2002-91117318
                                              TW 2002-9111/510
US 2003-740801 20031222
UG 2001-682286 A 20010814
     US 2005033079
                          A1
                                  20050210
PRIORITY APPLN. INFO.:
                                              WO 2002-US24364
                                                                  W 20020730
     Unexpected corrosion of downstream sections of a dialkyl
AΒ
     carbonate (e.g., di-Me carbonate) manufacturing apparatus has been traced to
     alkyl chloroformate (e.g., Me chloroformate) impurities which slowly
     decompose to give hydrochloric acid. An improved process and apparatus
     for dialkyl carbonate manufacture and to reduce corrosion
     by phys. removing or chemical decomposing the alkyl chloroformate impurities
     within the corrosion-resistant upstream sections of the apparatus is described.
     Process flow diagrams are presented.
REFERENCE COUNT:
                          3
                                THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS
                                RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT
     ANSWER 8 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN
L6
ACCESSION NUMBER:
                          2001:906229 HCAPLUS
DOCUMENT NUMBER:
                          136:37329
TITLE:
                          Process and catalysts for
                          producing dialkyl carbonates from
                          alkyl allophanates and alkanols
INVENTOR(S):
                          Mizukami, Masamichi; Arai, Yoshihisa; Harada, Hidefumi
                          Mitsubishi Gas Chemical Company, Inc., Japan
PATENT ASSIGNEE(S):
                          U.S. Pat. Appl. Publ., 6 pp.
SOURCE:
                          CODEN: USXXCO
DOCUMENT TYPE:
                          Patent
LANGUAGE:
                          English
FAMILY ACC. NUM. COUNT:
PATENT INFORMATION:
                        KIND
     PATENT NO.
                                 DATE
                                            APPLICATION NO.
                                                                      DATE
                          _'_ _ _
                                 -----
                                              ------
                                                                       -----
                                            US 2001-877044
     US 200105174,0
                          A1
                                 20011213
                                                                      20010611
     US 6359163
JP 2001354623
                          B2 20020319
                                              JP 2000-175064
                          A2
                                 20011225
                                                                      20000612
                          A2
     EP 1167339
                                 20020102
                                                                      20010612
     EP 1167339
                          A3
                                 20020116
     EP 1167339
                          B1
                                 20030502
           AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO
     ES 2195974
                         T3 20031216
                                              ES 2001-1113530
                                                                      20010612
PRIORITY APPLN. INFO.:
                                              JP 2000-175064 A 20000612
```

```
09/25/2005
              10655995.trn
OTHER SOURCE(S):
                        CASREACT 136:37329; MARPAT 136:37329
    Dialkyl carbonates RO2COR (R = alkyl; e.g., di-Bu
    carbonate) are prepared in high yield and selectivity by the
    deamidation-esterification reaction of alkyl allophanates RO2CNHCONH2
     (e.g., Bu allophanate) and an alkanol ROH (e.g., butanol) in the presence
    of a catalyst (e.g., dibutyltin oxide). Dialkyl
    carbonates (e.g., di-Bu carbonate) may also be prepared by the
    reaction of urea and/or an alkyl carbamate (e.g., Bu carbamate), where the
    allophanate produced as a byproduct is reused as one of raw materials; a
    process flow diagram is presented.
    ANSWER 9 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN
                        2000:900597 HCAPLUS
ACCESSION NUMBER:
DOCUMENT NUMBER:
                        134:42572
TITLE:
                        Carbonylation process and catalyst
                        system for manufacturing dialkyl
                        carbonates from alkanols, carbon monoxide and
INVENTOR(S):
                        Tanaka, Masahide; Kimura, Takato; Shimoda, Tomoaki
PATENT ASSIGNEE(S):
                        General Electric Co., USA
```

SOURCE: PCT Int. Appl., 21 pp. CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND DATE	APPLICATION NO.	DATE		
WO 2000076950	A1 20001221	WO 2000-US15669	20000607		
		BG, BR, BY, CA, CH,			
DK, EE, ES,	FI, GB, GD, GE,	GH, GM, HR, HU, ID,	IL, IN, IS, JP,		
KE, KG, KP,	KR, KZ, LC, LK,	LR, LS, LT, LU, LV,	MD, MG, MK, MN,		
MW, MX, NO,	NZ, PL, PT, RO,	RU, SD, SE, SG, SI,	SK, SL, TJ, TM,		
TR, TT, UA,	UG, UZ, VN, YU,	ZA, ZW, AM, AZ, BY,	KG, KZ, MD, RU,		
TJ, TM			,		
RW: GH, GM, KE,	LS, MW, MZ, SD,	SL, SZ, TZ, UG, ZW,	AT, BE, CH, CY,		
		IE, IT, LU, MC, NL,			
		ML, MR, NE, SN, TD,			
US 6258923	B1 20010710	US 2000-584672	20000531		
EP 1189870	A1 20020327	EP 2000-941256	20000607		
		GB, GR, IT, LI, LU,			
	LV, FI, RO				
JP 2001055358	A2 20010227	JP 2000-172057	20000608		
PRIORITY APPLN. INFO.:		JP 1999-165585	A 19990611		
	•	WO 2000-US15669	W 20000607		
OTHER SOURCE(S):	MARPAT 134:4257	2			

Dialkyl carbonates (e.g., di-Me carbonate), useful as monomers for aromatic polycarbonates, are prepared in high yield and selectivity from CO, O2, and an alc. (e.g., methanol) in the presence of a catalyst system comprising: (i) a cupric halide (e.g., cupric chloride); and (ii) a compound capable of producing a copper halide alkoxide by reaction with a cupric halide [i.e., Group IA and IIA

halide alkoxide by reaction with a cupric halide [i.e., Group IA and IIA "alkoxides" (e-g-, Sodium methoxide), quaternary ammonium and phosphonium alkoxides].

REFERENCE COUNT:

THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 10 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

10655995.trn

Page 12

14:49

ACCESSION NUMBER: 1999:810921 HCAPLUS

DOCUMENT NUMBER: 132:24111

TITLE: Distillation process for the separation of

dialkyl carbonates which are prepared

from urea and alcohols from contaminating alkyl carbamates by the addition of aromatic hydroxy

compounds

INVENTOR(S): Ohshida, Takuo; Ohgi, Hiroaki; Arai, Yoshihisa;

Mizukami, Masamichi

PATENT ASSIGNEE(S): Mitsubishi Gas Chemical Company, Inc., Japan

SOURCE: Eur. Pat. Appl., 17 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-			
EP 965577	A1	19991222	EP 1999-111039	19990614
EP 965577	B1	20020904		
R: AT, BE, CH,	DE, DK	, ES, FR, 6	GB, GR, IT, LI, LU, NL,	, SE, MC, PT,
IE, SI, LT,	LV, FI	, RO		
JP 2000001461	A2	20000107	JP 1998-167187	19980615
US 6169197	B1 .	20010102	US 1999-332951	19990615
PRIORITY APPLN. INFO.:			JP 1998-167187	A 19980615
AB Dialkyl carbonates	(e.g.,	di-Bu carb	onate), which are	
3 6				

prepared from urea and alcs. (e.g., n-butanol), are separated from contaminating

alkyl carbamates (e.g., Bu carbamate) by adding an aromatic hydroxy compound (e.g., phenol) to the carbonate mixture and distilling the mixture under

pressure to produce a head product containing the dialkyl carbonate and the aromatic hydroxy compound while the alkyl carbamate is obtained as the bottoms product.

REFERENCE COUNT:

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 11 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

4

ACCESSION NUMBER:

1998:231275 HCAPLUS

DOCUMENT NUMBER:

128:258710

TITLE:

SOURCE:

Carbonylation process and catalysts

for the production of carbonic acid diesters from

alcohols

INVENTOR(S):

Minami, Takeshi; Yoneda, Noriyuki; Shiroto, Yoshimi;

Kobayashi, Haruto

PATENT ASSIGNEE(S):

Chiyoda Corp., Japan Ger. Offen., 18 pp.

CODEN: GWXXBX

DOCUMENT TYPE:

Patent

LANGUAGE:

German

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 19727163	A1	19980409	DE 1997-19727163	19970626
US 5767303	A	19980616	US 1997-876239	19970616
IN 183238	A	19991009	IN 1997-CA1156	19970618

CN 1178718 Α 19980415 CN 1997-117189 19970627 CN 1102076 В 20030226 JP 10156189 A2 19980616 JP 1997-191936 19970702 JP 3412079 B2 20030603 PRIORITY APPLN. INFO.: JP 1996-283022 A 19961004

OTHER SOURCE(S): MARPAT 128:258710

Carbonic acid diesters (e.g., di-Me carbonate) are prepared in high yield and selectivity and without the use of phosgene by the reaction of alcs. (e.g., MeOH) with carbon monoxide and oxygen in the presence of a catalyst system comprising: (a) Cu or a Cu compound (e.g., CuCl); (b) a heterocyclic compound containing ≥1 N atom in its ring (e.g., pyridine); and a(n) (un) substituted glycol mono- or diether (e.g., triethylene glycol di-Me ether). Process flow diagrams are presented.

ANSWER 12 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1995:516387 HCAPLUS

DOCUMENT NUMBER:

122:264908

TITLE:

Production of dimethyl carbonate by

methoxycarbonylation of methanol using copper

zeolite catalysts

INVENTOR(S):

King, Stanley S. T.; Jones, Mark E.; Olken, Michael M.

The Dow Chemical Company, USA

SOURCE:

U.S., 5 pp. Cont.-in-part of U.S. Ser. No. 954,771,

abandoned.

CODEN: USXXAM

DOCUMENT TYPE:

Patent English

LANGUAGE:

PATENT ASSIGNEE(S):

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
				,
US 5391803	A	19950221	US 1994-176744	19940103
PRIORITY APPLN. INFO.:			US 1994-176744	B2 19940103
			US 1992-954771	19920930

OTHER SOURCE(S): CASREACT 122:264908; MARPAT 122:264908

A process for producing dialkyl carbonates which comprises contacting an alkanol, carbon monoxide, and oxygen with a catalyst to produce dialkyl carbonate, the catalyst having been prepared by heating a solid copper compound in the presence of a zeolite to form a zeolite containing copper. Thus, e.g., a catalyst was prepared by heating a

solid mixture containing 25 weight percent of cuprous chloride and a hydrogen Y zeolite having a framework silica/alumina molar ratio of 12:1 and a bulk silica/alumina molar ratio of 10.9:1 at 650° for 48 h; a mixture of MeOH/CO/O2/N2 having a mole ratio 0.88/4/0.5/2 was flowed over this this catalyst at 130°; the selectivity to di-Me carbonate was 80% after 10 and 20 h; the initial productivity to DMC was 4 lbs/ft3/h and

was 4 lbs/ft3/h after 12 h.

ACCESSION NUMBER:

ANSWER 13 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN 1995:420633 HCAPLUS

DOCUMENT NUMBER:

122:239182

TITLE:

Production of dialkyl carbonates

via oxidative carbonylation of alcohols with carbon

monoxide and oxygen catalyzed by supported

copper-quaternary ammonium salt

catalysts

INVENTOR(S): Molzahn, David C.; Jones, Mark E.; Hartwell, George

E.; Puga, Jose

PATENT ASSIGNEE(S): Dow Chemical Co., USA

SOURCE:

U.S., 10 pp. CODEN: USXXAM

CODEN: USXXX

DOCUMENT TYPE:

Patent English

LANGUAGE: 1
FAMILY ACC. NUM. COUNT: 3

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE

US 5387708 A 19950207 US 1993-165060 19931210

PRIORITY APPLN. INFO.: US 1993-165060 19931210

OTHER SOURCE(S): CASREACT 122:239182: MARPAT 122:239182

OTHER SOURCE(S): CASREACT 122:239182; MARPAT 122:239182

A process for the production of dialkyl carbonates, such as di-Me carbonate. In one aspect, the process involves contacting under reaction conditions an alkanol, such as methanol, with carbon monoxide and oxygen in the vapor phase and in the presence of a catalyst containing (1) a copper halide, a copper oxyhalide, or a copper carboxylate halide, (2) a quaternary ammonium salt, and (3) a support component. The catalyst achieves high selectivity and productivity to dialkyl carbonates. In a second aspect, the addition of a chlorocarbon catalyst regenerator to the alkanol feed increases catalyst stability and lifetime and increases the selectivity and/or productivity to dialkyl carbonates. Thus, e.g., di-Me carbonate production using CuCl/Et4NCl on zeolite Y exceeded that with CuCl on zeolite Y by more than a factor of 4.

L6 ANSWER 14 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1995:340691 HCAPLUS

DOCUMENT NUMBER:

122:105265

TITLE:

Process and platinum-group metal catalysts for the preparation of dialkyl carbonates from alkyl nitrites and carbon monoxide

INVENTOR(S):

Jentsch, Joerg-Dietrich; Klausener, Alexander; Landscheidt, Heinz; Wolters, Erich; Zirngiebl,

Eberhard

PATENT ASSIGNEE(S):

Bayer A.-G., Germany Ger. Offen., 6 pp.

CODEN: GWXXBX

DOCUMENT TYPE:

Patent German

LANGUAGE:

SOURCE:

NT: 1

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 4314038	A1	19941103	DE 1993-4314038	19930429
EP 623583	A1	19941109	EP 1994-105984	19940418
EP 623583	B1	19970319		
R: BE, CH, DE,	ES, FR	, GB, IT, LI	I, NL	
ES 2098813	Т3	19970501	ES 1994-105984	19940418
JP 06329599	A2	19941129	JP 1994-106160	19940422
US 5414104	Α	19950509	US 1994-231607	19940422
CA 2122228	ΑA	19941030	CA 1994-2122228	19940426
CN 1100089	A	19950315	CN 1994-104650	19940429

PRIORITY APPLN. INFO.: DE 1993-4314038 A 19930429

OTHER SOURCE(S): CASREACT 122:105265; MARPAT 122:105265

The title compds. O:C(OR)2 [R = (un)branched C1-4 alkyl] (e.g., di-Me carbonate) are prepared by the reaction of alkyl nitrites RONO (e.g., MeONO) with CO in the presence of a platinum-group metal (e.g., Pd, etc.) halides (e.g., Li2PdCl4) or halide complexes on a metal phosphate support with the continuous or discontinuous addition of a hydrogen halide (e.g., HCl). A volume ratio of nitrite-CO of 0.1-10:1 is employed and the reaction is conducted at 50-150°/0.8-7 bar.

ANSWER 15 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1995:248639 HCAPLUS

DOCUMENT NUMBER:

122:12517

TITLE:

Manufacture of carbonic acid diesters by catalytic

transesterification

INVENTOR(S):

Kirishiki, Masaru; Onda, Yoshuki; Tsuneki, Hideaki

PATENT ASSIGNEE(S):

Nippon Catalytic Chem Ind, Japan

SOURCE:

Jpn. Kokai Tokkyo Koho, 11 pp.

CODEN: JKXXAF

DOCUMENT TYPE:

Patent

LANGUAGE:

Japanese

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 06238165	A2	19940830	JP 1993-50239	19930215
PRIORITY APPLN. INFO.:			JP 1993-50239	19930215
OTHER SOURCE(S):	MARPAT	122:12517		

A process which facilitates the separation of catalyst from reaction products comprises reacting (un) substituted alkylene carbonates with ROH (R = C1-20-alkyl, alkenyl, aralkyl, cycloalkyl, alkoxyalkyl) in the presence of mixed oxides of Mg and transition metals. Soaking 60.0 g MgO in 41.4 g water containing 8.89 g Co nitrate-6H2O, drying overnight, and calcining at 500° for 5 h gave a catalyst with Co/Mq ratio 0.0205. The catalyst 15.2, ethylene carbonate 88, and MeOH 64 g were heated at 60° for 2 h to give 33 mol% ethylene glycol and 36 mol% di-Me carbonate.

ANSWER 16 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1994:8213 HCAPLUS

DOCUMENT NUMBER:

120:8213

TITLE:

SOURCE:

Process for the preparation of dialkyl carbonates from alkyl

nitrites

INVENTOR(S):

Wolters, Erich; Landscheidt, Heinz; Klausener,

Alexander; Puppe, Lothar

PATENT ASSIGNEE(S):

Bayer A.-G., Germany Eur. Pat. Appl., 9 pp.

CODEN: EPXXDW

DOCUMENT TYPE:

Patent German

LANGUAGE:

PATENT INFORMATION:

FAMILY ACC. NUM. COUNT: 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 559001	A1	19930908	EP 1993-102466	19930217
EP 559001	B1	19960508		

10655995.trn

R: BE, CH, DE, FR, GB, IT, LI, NL DE 4206526 19930909 **A**1 DE 1992-4206526 19920302 JP 06065156 A2 19940308 JP 1993-59426 19930225 US 5360922 19941101 US 1993-23302 Α 19930226 PRIORITY APPLN. INFO.: DE 1992-4206526 A 19920302 OTHER SOURCE(S): MARPAT 120:8213 CO(OR)2 (R = alkyl) were prepared by reaction of CO with RONO (0.1-10:1 volume ratio) optionally in the presence of an inert gas, ROH, or NO in a continuous gas phase process at 50-150° using a catalyst comprising a platinum group metal halide (complex) supported on an aluminosilicate zeolite-containing acid centers, preferably in the H+ form. The catalyst may be prepared in situ by treatment of a platinum group metal or halide-free platinum group metal compound with a hydrogen halide; the catalyst may also contain a compound of Sb, Bi, Al, Cu, U, Nb, Ta, Sn, Fe, Co, Ni, or their mixts. Thus, H-Y zeolite was treated with aqueous Li2PdCl4 followed by drying in vacuo at 80°. To a tube reactor containing the above catalyst at 90° was added a gaseous mixture of N2 55, MeONO 20, CO 20, and MeOH 5% at a space velocity of 1000 1/1/h to give CO(OMe)2 with a space time yield = 99%.

L6 ANSWER 17 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1

oxalate production

1993:625595 HCAPLUS

DOCUMENT NUMBER:

119:225595

TITLE:

Process for the preparation of

Use of the aluminosilicate carrier improves selectivity and eliminated

dialkyl carbonates

INVENTOR(S):

Wolters, Erich; Landscheidt, Heinz; Klausener,

Alexander; Puppe, Lothar

PATENT ASSIGNEE(S): SOURCE:

Bayer A.-G., Germany

Eur. Pat. Appl., 9 pp.

CODEN: EPXXDW

DOCUMENT TYPE:

Patent

LANGUAGE:

German

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 558996	A1	19930908	EP 1993-102461	19930217
EP 558996	B1	19960501		
R: BE, CH, DE,	FR, GB	, IT, LI, NL		•
DE 4206527	A1	19930909	DE 1992-4206527	19920302
JP 06041021	A2	19940215	JP 1993-59399	19930225
US 5319124	A	19940607	US 1993-23303	19930226
PRIORITY APPLN. INFO.:			DE 1992-4206527 A	19920302
OTHER SOURCE(S):	MARPAT	119:225595		

O:C(OR)2 [R=(branched) C1-4 alkyl], were prepared by continuous gas-phase reaction of RONO with CO, optionally in the presence of an inert gas, ROH, and/or NO using an Al silicate-supported Pt group halide complex catalyst. Thus, Al2O3.SiO2 was treated with aqueous LiPdCl4 and the resulting material was heated at 80° in vacuo. A tube reactor packed with this catalyst and heated to 90° was charged with a mixture of N 55, MeONO 20, CO 20, and MeOH 5% to give O:C(OMe)2.

L6 ANSWER 18 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1992:612025 HCAPLUS

DOCUMENT NUMBER:

117:212025

TITLE:

Process for the preparation of

dialkyl carbonates

INVENTOR(S): Buysch, Hans Josef; Klausener, Alexander

PATENT ASSIGNEE(S): Bayer A.-G., Germany SOURCE: Eur. Pat. Appl., 12 pp.

CODEN: EPXXDW

DOCUMENT TYPE:

Patent German

LANGUAGE: (FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATE	ENT NO.		KIND	DATE	APPLICATION NO.		DATE
EP 4	199924		A1	19920826	EP 1992-102154		19920210
EP 4	199924		B1	19941005			
	R: BE,	DE, ES,	FR, GB	, IT, NL			
DE 4	105554		A1	19920827	DE 1991-4105554		19910222
ES 2	2061287		T 3	19941201	ES 1992-102154		19920210
US 5	5218135		Α	19930608	US 1992-834457		19920212
JP 0	5097774		A2	19930420	JP 1992-61555		19920217
RIORITY	APPLN.	INFO.:			DE 1991-4105554	Α	19910222

OTHER SOURCE(S): MARPAT 117:212025

Dialkyl carbonates were prepared from alkylene oxides, CO2 and alcs. in the presence of bifunctional catalysts. The first step comprises reaction of C2-8 alkylene oxides with CO2 at 40-190° and <10 bar. The resultant alkylene carbonate is treated with a (substituted) C1-10 (cyclo)aliphatic alc. at 50-160°. The bifunctional catalyst [AbXb]m [BcYd]n (A = specified metal cation; X = organic or inorg. cation; B = cation selected from alkali metal, alkaline earth metal, quaternary ammonium, phosphonium, arsonium, sulfonium, etc.; Y = halo, e.g., Br, iodo, with provisos; a, b = 1-5; c, d = 1-3, neutral salt formed; m, n = 0.001-1) is used in both steps. The process was used to prepare (MeO) 2CO from ethylene oxide and CO2 using ZnC12 and Bu4NI as catalyst components.

L6 ANSWER 19 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1992:173762 HCAPLUS

DOCUMENT NUMBER:

116:173762

TITLE:

Process for the preparation of polyalkoxylated aromatic compounds

INVENTOR(S):

Huet, Michel; Nobel, Dominique Rhone-Poulenc Chimie SA, Fr.

PATENT ASSIGNEE(S):

Eur. Pat. Appl., 20 pp.

SOURCE:

CODEN: EPXXDW

DOCUMENT TYPE:

Patent

LANGUAGE:

French

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 463946	A1	19920102	EP 1991-401683	19910621
R: DE, FR, GB,	IT, NL			
FR 2663925	A1	19920103	FR 1990-8071	19900627
FR 2663925	B1	19940422	•	
FR 2669924	A1	19920605	FR 1990-15000	19901130
FR 2669924	B1	19930129	•	
JP 04261134	A2	19920917	JP 1991-181547	19910627
PRIORITY APPLN. INFO.:			FR 1990-8071 A	19900627
			FR 1990-15000 A	19901130

OTHER SOURCE(S): CASREACT 116:173762; MARPAT 116:173762 The title compds. were prepared by treating an aromatic compound bearing at

one halogen atom and at least one OH group with an alkaline or alkaline earth alkoxide in presence of a Cu-containing catalyst and a cocatalyst chosen from organic carbonates, organometallic carbonates, or CO2. direct O-alkylation of the OH group(s) was realized with alkylating agents: alkyl halides, dialkyl sulfates, dialkyl carbonates. E.g., a mixture of 173.2 g 5-bromo-4-hydroxy-3methoxybenzaldehyde, 162 g NaOMe, 1785 cm3 MeOH, 8.3 g CuCO3.Cu(OH)2, and 16 g CO2 was stirred for 4 h at 125°. The mixture was then treated with 150 g MeCl at 120° for 3 h to give 100% conversion and 92% 3,4,5-trimethoxybenzaldehyde.

ANSWER 20 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1991:408100 HCAPLUS

DOCUMENT NUMBER:

115:8100

TITLE:

Preparation of dialkyl carbonates

by carbonylation of alkyl nitrites over

platinum-containing co-catalyst

INVENTOR(S):

Nishihira, Keigo; Mizutare, Katsuhiko; Tanaka, Shuji

PATENT ASSIGNEE(S): Ube Industries, Ltd., Japan Eur. Pat. Appl., 10 pp.

SOURCE:

CODEN: EPXXDW

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 425197	A2	19910502	EP 1990-311469	19901018
EP 425197	A3	19910911		
EP 425197	B1	19940601	•	
EP 425197.	B2	19980729		
R: BE, DE, ES,	FR, GB	, IT, NL	•	
JP 03141243	A2	19910617	JP 1989-274816	19891024
JP 08025961	B4	19960313		
JP 04089458	A2	19920323	JP 1990-201146	19900731
US 5162563	Α	19921110	US 1990-599134	19901017
ES 2054265	T3	19940801	ES 1990-311469	19901018
JP 09110807	A2	19970428	JP 1996-182808	19960624
JP 2850859	B2	19990127		
PRIORITY APPLN. INFO.:			JP 1989-274816 A	19891024
			JP 1990-201146 A	19900731

AB A process for the preparation of a carboxylate diester comprises the reaction of CO with a nitrite in the presence of a catalyst containing a Pt group metal and a metal selected from Fe, Cu, Bi, Co, Ni, Sn on a carrier. A catalyst was prepared by impregnating activated carbon with a solution containing 0.35 g PdCl2, 0.34 g CuCl2, and 100 mL 5N HC1.

A gaseous mixture containing Me nitrite 15, CO 10, NO 3, MeOH 6, and N 66 vol % was passed under normal pressure through a reactor charged with the above catalyst. The space-time yield of (MeO) 2CO was 220 g/L with a selectivity of 96%; MeO2CCO2Me and HCO2Me were formed as byproducts. use of a catalyst prepared from PdCl2 alone gave a space-time yield of 120 g/L and a selectivity of 90%.

ANSWER 21 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1991:142693 HCAPLUS

DOCUMENT NUMBER: 114:142693

TITLE: Process for the preparation of

dialkyl carbonates from alcs. and

carbon monoxide and oxygen without catalyst

recycling

INVENTOR(S): Joerg, Klaus; Mueller, Franz Josef; Harder, Wolfgang;

Kummer, Rudolf

PATENT ASSIGNEE(S): BASF A.-G., Germany SOURCE: Ger. Offen., 6 pp.

CODEN: GWXXBX

DOCUMENT TYPE:

Patent

LANGUAGE:

German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
		-		
DE 3926709	A1	19910214	DE 1989-3926709	19890812
EP 413215	A2	19910220	EP 1990-114910	19900803
EP 413215	A 3	19920212		
EP 413215	B1	19940420		
R: BE, CH, DE,	ES, FR	, GB, IT, L	I, NL	
ES 2051418	Т3	19940616	ES 1990-114910	19900803
US 5142087	Α	19920825	US 1990-564324	19900808
JP 03099041	A2	19910424	JP 1990-211749	19900813
JP 2859395	B2	19990217		•
PRIORITY APPLN. INFO.:			DE 1989-3926709	A 19890812

OTHER SOURCE(S): CASREACT 114:142693; MARPAT 114:142693

A process for the preparation of dialkyl carbonates ROC(0)COR (R = C1-4-alkyl) comprises the reaction of C1-4-alcs. with CO and oxygen in the presence of a Cu-containing catalyst at elevated temperature and pressure. CO and oxygen are passed through the catalyst -alc. mixture in a reactor a rate of 1-100 L/h for each g Cu contained in the Cu catalyst. Part of the gas mixture reacts with the alc. and is converted to ROC(0)COR and H2O and remaining CO is used to sweep the alc., ROC(O)COR, and H2O from the mixture The gaseous mixture is partitioned into a liquid and a gaseous fraction and the gaseous phase can optionally be recycled. The liquid fraction containing alc., ROC(O)COR, and H2O is separated and

the alc. is optionally recycled; the amount of alc. swept from the reactor is continuously replaced. Thus, CO (60 L/h) and oxygen (3 L/h) was passed through a reactor containing MeOH and 0.7 mol/L Cu(OMe)Cl at 25 bar at 125°; the room-time yield of MeOC(0)COMe (I) was 25-35 q. I was swept from the reactor in form of a ternary azeotrope which was separated into a liquid and a gaseous phase; I in 13% yield from MeOH in 98-100% selectivity.

L6 ANSWER 22 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1991:142692 HCAPLUS

DOCUMENT NUMBER: 114:142692

TITLE: Process for preparation of dialkyl

carbonates from alcs., carbon monoxide and

oxygen in the presence of cyclic ureas as cosolvents

and copper catalysts

INVENTOR(S): Joerg, Klaus; Kummer, Rudolf; Mueller, Franz Josef

PATENT ASSIGNEE(S): BASF A.-G., Germany SOURCE: Ger. Offen., 4 pp.

CODEN: GWXXBX

DOCUMENT TYPE:

Patent

LANGUAGE:

German

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3926710	A 1	19910214	DE 1989-3926710	19890812
EP 413217	A2	19910220	EP 1990-114912	19900803
EP 413217	A3	19920212	•	
EP 413217	B1	19940608		
R: BE, CH, DE,	ES, FR	, GB, IT, LI	, NL	
ES 2054176	Т3	19940801	ES 1990-114912	19900803
US 5151541	Α.	19920929	US 1990-562708	19900806
JP 03109359	A2	19910509	JP 1990-211748 .	19900813
PRIORITY APPLN. INFO.:			DE 1989-3926710 A	19890812
OTUED COUDCE/C).	CACDEA	OM 114 140C0	0 MADDAM 114 140600	

OTHER SOURCE(S): CASREACT 114:142692; MARPAT 114:142692

A process for the preparation of dialkyl carbonates ROC(0)OR (R = C1-10-alkyl) comprises the reaction of alcs. with CO and oxygen in the presence of a Cu catalyst and a cyclic urea as cosolvent at elevated temperature and pressure. A mixture of MeOH 105, CuCl

and dimethylethylene urea 40 g was heated in a corrosion-resistant autoclave to 90° for 15 min 8 bar oxygen; oxygen was replaced and the mixture was heated for 30 min at 35 bar CO to give 76% MeOC(O)OMe.

ANSWER 23 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1990:514658 HCAPLUS

DOCUMENT NUMBER:

113:114658

TITLE:

Process for preparing dialkyl

carbonates

INVENTOR(S):

Romano, Ugo; Rivetti, Franco Enichem Synthesis S.p.A., Italy

PATENT ASSIGNEE(S): SOURCE:

Eur. Pat. Appl., 7 pp.

CODEN: EPXXDW

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

ם אות	DENIE NIO			17.73.7	D D3.000		3.5.				
PA.	rent no	•		KIN	D DATE		API	PLICATION N	10.		DATE
					- 		÷	·	· 		
EP	366177			A1	19900	0502	EP	1989-20253	75		19891012
EP	366177			B1	19921	1230					
	R: A	Г, BI	E, CH	, DE,	ES, FR,	GB,	LI, NI	, SE			
AT	84022			E	19930	0115	\mathtt{AT}	1989-20257	75		19891012
ES	203882	1 .		Т3	19930	0801	ES	1989-20257	75		19891012
JP	021695	49		A2	19900	0629	JP	1989-27051	L O		19891019
JP	288131	7		B2	19990	0412					
US	520640	9		Α	19930)427	US	1991-73401	4		19910719
PRIORITY	Y APPLN	. INI	FO.:				ΙT	1988-22353	3 2	Ą	19881019
							US	1989-42054	12 1	В1	19891011
							EP	1989-20257	75 2	Ą	19891012

OTHER SOURCE(S): MARPAT 113:114658

Oxidative carbonylation of ROH (R = Me, Et, Pr, Me2CH) in the presence of a catalyst system comprising Cu alkoxide halide (CuOR) X (X = Br, Cl) and either CuX2 or HX (0.5-10 mol% with respect to total Cu) at 70-150° and 10-100 atm resulted in higher yields of dialkyl carbonates. Cu(OMe)Cl and anhydr. CuCl2 (total of 1.68 mol/L, of

which CuCl2 was 10%) and MeOH (100 mL) were introduced in a pressure vessel, and the system was placed under CO at 75° and 12 atm gage to give 6.51 weight% CO(OMe)2 at 195 min.

ANSWER 24 OF 24 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1990:201124 HCAPLUS

DOCUMENT NUMBER:

112:201124

TITLE:

Catalysts and process for

manufacture of carbonate esters INVENTOR(S): Yokota, Shigeru; Suzuki, Haruhisa

PATENT ASSIGNEE(S):

Daicel Chemical Industries, Ltd., Japan

SOURCE:

LANGUAGE:

Jpn. Kokai Tokkyo Koho, 3 pp.

CODEN: JKXXAF

DOCUMENT TYPE:

Patent Japanese

1

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 02006438	A2	19900110	JP 1988-157391	19880625
PRIORITY APPLN. INFO.:			JP 1988-157391	19880625
AB Title esters are m	anufactı	ared by the	reaction of an alc., CO	, and O in the
			ning a Pt-group metal co	
cuprous halide, an	d an all	kaline earth	n halide. Thus, autocla	ving 40 mL MeOH
and a gas mixture	of N 5.7	7, CO 3.6, a	and Ar-O (67:33) 2.7 kg/	cm2 in the
presence of PdCl2	0.3, Cu(Cl 7.5, and	MgCl2 7.5 mmol at 130°	for 1 h
			over CuCl-MgCl2 mixtur	

=> d 17 ibib abs hitstr tot

ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2005 ACS on STN 1.7

ACCESSION NUMBER:

2005:220207 HCAPLUS

DOCUMENT NUMBER:

142:280559

TITLE:

Use of a ionic halide free copper

catalyst for the production of dialkyl

Carbonates 🛩

INVENTOR(S):

Stibrany, Robert T.; Mehnert, Christian P.; Matturro,

Michael

PATENT ASSIGNEE(S):

USA

SOURCE:

Ü.S. Pat. Appl. Publ., 9 pp.

CODEN: USXXCO

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND DATE	APPLICATION NO.	DATE
US 2005054868	A1 20050310	US 2003-655995	20030905
WO 2005026097	A1 20050324	WO 2004-US25363	20040804
W: AE, AG, AL,	AM, AT, AU, AZ,	BA, BB, BG, BR, BW, BY,	BZ, CA, CH,
CN, CO, CR,	CU, CZ, DE, DK,	DM, DZ, EC, EE, EG, ES,	FI, GB, GD,
GE, GH, GM,	HR, HU, ID, IL,	IN, IS, JP, KE, KG, KP,	KR, KZ, LC,
LK, LR, LS,	LT, LU, LV, MA,	MD, MG, MK, MN, MW, MX,	MZ, NA, NI,
NO, NZ, OM,	PG, PH, PL, PT,	RO, RU, SC, SD, SE, SG,	SK, SL, SY,
		UG, US, UZ, VC, VN, YU,	
RW: BW, GH, GM,	KE, LS, MW, MZ,	NA, SD, SL, SZ, TZ, UG,	ZM, ZW, AM,

AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.:

US 2003-655995 A 20030905

OTHER SOURCE(S):

MARPAT 142:280559

AB The invention relates to a non-corrosive **process** for the preparation of **dialkyl carbonate** by reacting carbon monoxide,

alkanol and an oxygen-containing gas in the presence of a ionic

halogen free copper catalyst. Thus, di-Me

carbonate was prepared by reacting carbon monoxide, methanol and oxygen in the presence of [1,1'-bis(1-butylbenzimidazol-2-yl)pentane] copper (II) di(trifluoromethanesulfonate).

L7 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1992:173762 HCAPLUS

DOCUMENT NUMBER:

116:173762

TITLE:

Process for the preparation of
polyalkoxylated aromatic compounds

INVENTOR(S): Huet, Michel; Nobel, Dominique PATENT ASSIGNEE(S): Rhone-Poulenc Chimie SA, Fr.

SOURCE:

Eur. Pat. Appl., 20 pp.

CODEN: EPXXDW

DOCUMENT TYPE:

Patent

LANGUAGE:

French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.		KIND	DATE	APPLICATION NO.		DATE
					_	
· EP 463	946	A1	19920102	EP 1991-401683		19910621
R:	DE, FR, G	B, IT, NL				
FR 266	3925	A1	19920103	FR 1990-8071		19900627
FR 266	3925	B1	19940422	•		
FR 266	9924	A1	19920605	FR 1990-15000		19901130
FR 266	9924	B1	19930129			
JP 042	61134	A2	19920917	JP 1991-181547		19910627
PRIORITY APPLN. INFO.:				FR 1990-8071	Α	19900627
				FR 1990-15000	Α	19901130

OTHER SOURCE(S): CASREACT 116:173762; MARPAT 116:173762

AB The title compds. were prepared by treating an aromatic compound bearing at least

one halogen atom and at least one OH group with an alkaline or alkaline earth alkoxide in presence of a Cu-containing catalyst and a cocatalyst chosen from organic carbonates, organometallic carbonates, or CO2. Next, direct O-alkylation of the OH group(s) was realized with alkylating agents: alkyl halides, dialkyl sulfates, dialkyl carbonates. E.g., a mixture of 173.2 g 5-bromo-4-hydroxy-3-methoxybenzaldehyde, 162 g NaOMe, 1785 cm3 MeOH, 8.3 g CuCO3.Cu(OH)2, and 16 g CO2 was stirred for 4 h at 125°. The mixture was then treated with 150 g MeCl at 120° for 3 h to give 100% conversion and 92% 3,4,5-trimethoxybenzaldehyde.

=> log y

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST 98.90 99.11

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE TOTAL ENTRY SESSION

CA SUBSCRIBER PRICE -21.17 -21.17

STN INTERNATIONAL LOGOFF AT 14:50:10 ON 25 SEP 2005